

Riich Specifications



Powertrain	1.3MT		
Model type	Standard	Comfortable	Luxury
Measurement & Quality			
Length*Width*Height (mm)	4040*1640*1900		
Wheelbase (mm)	2625		
Turning radius (m)	5.5		
Weights - curb weight (kg)	1220		
Tyre size	165/70 R14		
Engine			
Engine code	SQR473F		
Engine liters (cc)	1297		
Maximum power (Kw/rpm)	61/6000		
Maximum torque (Nm/rpm)	114/3800~4500		
Engine compression ratio	10:1		
Max. speed (km/h)	140		
Transmission - number of speeds / type	5MT		
Fuel tank capacity (l)	45		
Emission	EuIV+OBD		
Brake, Suspension & Drive mode			
Brake system (Front / Rear)	discs / drums		
Front suspension system	Macpherson strut with cylindrical coil spring, dual-tube damper and single transverse link.		

Riich Specifications



Rear suspension system	Rigid axle suspension with leaf spring ,dual-tube damper.		
Drive wheels	Front		
Exterior			
Steel wheels	•		
Aluminium alloy wheels		•	•
Electric outside mirrors		•	•
Manual outside mirrors	•		
Rear windshield wiper	•	•	•
Roof antenna with electronically active magnifier	•	•	•
Interior			
Gray upholstery	•	•	•
Maintenance caution function	•	•	•
Instant fuel consumption display	•	•	•
Safety & Security			
Front 3-point seat belts with ELR	•	•	•
Middle outer 3-point seat belts with ELR	•	•	•
ABS + EBD		•	•
Engine immobilizer	•	•	•
Four door jam alarm	•	•	•
Seat			
Fabric-trimed seats	•	•	•
4-ways manual adjustable driver seat	•	•	•
Control Equipment			
Manual remote release fuel cap	•	•	•

Riich Specifications



Hydraulic-assistant steering	•	•	•
Power windows-front doors		•	•
Manual windows-front doors	•		
Common plastic steering wheel	•	•	•
Manual lock	•		
Central lock		•	•
Manual headlamp levelling	•	•	•
Manual air condition	•	•	•
Dual tone horns	•	•	•
Audio			
Preset radio with MP3/USB jack	•	•	•
2 speakers	•	•	
4 speakers			•